



Public Health
Prevent. Promote. Protect.

Forsyth County Environmental Health

309 Pirkle Ferry Rd Building D Suite 500 • Cumming, Georgia 30040

PH: 770-781-6909 • FAX: 678-807-7343 • www.forsythhd.com

District 2, Public Health

Date: _____ **Property Type:** Residential Commercial

Service Type: New Repair Remodel Addition Adoption / Foster Care

Shed/Storage Building Pool Review Before Purchase Lender Request

Description of work or service request: _____

Service Address _____

Owner's Name: _____ **Phone #:** _____

Mailing Address: _____

Owners Email _____

Contact Name: _____ **Phone #:** _____

Email: _____

Subdivision: _____ **Lot #:** _____

Water supply: Public Well **Lot size:** (Acreage) _____ **# of Bedrooms:** _____

Circle One

Plumbing Level: Basement Slab Crawl Space **Garbage Disposal:** Yes No

It is your responsibility to notify the Health Department of all water wells on your property or within 100 feet of your property. This includes wells used for any purpose, or any that are no longer used but still exist. You must notify this office of the location of any wells prior to issuance of the permit or your permit may be voided. Permits are not transferable and expire 12 months from date of issue. All surface and/or ground water must be diverted around septic systems. A new soil report is recommended before any septic repair.

Signature of applicant: _____

Print Name _____